

EXPOSURE TO COVID-19 TRIAGE CHART

If you are vaccinated and have no symptoms, per the CDC you do not need to be tested following an exposure to COVID-19

| Scenario | Risk Factor | PCR Test | Antigen Test | Quarantine |
|---|--------------|---|--------------|--|
| Briefly walking by a person who tested positive for COVID-19 and was not experiencing symptoms. | MINIMAL RISK | LOW VALUE | LOW VALUE | NOT NECESSARY Highly suggest to wear mask around others |
| In the same room for less than 15 minutes AND within 6 feet of a person who tested positive for COVID-19, 48 hours before the test of onset of symptoms. | LOW RISK | MEDIUM VALUE https://bluefishmd.com/wp-content/uploads/2020/09/8.28.2020-COVID-19-Testing-Facilities-for-Website.pdf | LOW VALUE | NOT NECESSARY Mandatory mask wearing around others for 14 days minimum |
| In the same room within 6 feet for a cumulative of 15 minutes or longer over a 24 hours period, 48 hours before the close contact started symptoms or had symptoms. | HIGH RISK | HIGH VALUE https://bluefishmd.com/wp-content/uploads/2020/09/8.28.2020-COVID-19-Testing-Facilities-for-Website.pdf | MEDIUM VALUE | MANDATORY FOR NON HEALTHCARE WORKERS |
| Sustained close contact for a cumulative of 15 minutes or longer within the same room at work, school, or home with person who tested positive for COVID-19. | HIGHEST RISK | HIGH VALUE https://bluefishmd.com/wp-content/uploads/2020/09/8.28.2020-COVID-19-Testing-Facilities-for-Website.pdf | MEDIUM VALUE | MANDATORY Should not go to work or school/daycare or be around others for 14 days minimum. * For shorter quarantine information click here . Other family members need only quarantine if the original quarantined individual becomes symptomatic or has a positive test. |

Please note if both parties were wearing masks it is likely to significantly reduce the risk of transmission in all scenarios.

*https://bluefishmd.com/wp-content/uploads/2020/07/Home-IsolationQuarantine-Release-Graphic_FINAL_2nd_Chart.pdf